

Standard Range



Nominal Pipe Size		B	Overall	Material	Bolt Size
Metric	O/D				
15	22	59	84	25 x 3	m6
20	27	65	90	25 x 3	m6
25	34	72	97	25 x 3	m6
32	42	95	125	30 x 3	m10
40	48	95	125	30 x 3	m10
50	60	110	140	30 x 3	m10
65	76	126	156	30 x 3	m10
80	89	139	169	30 x 3	m10
100	114	174	204	30 x 3	m10
125	140	210	250	40 x 5	m12
150	168	238	278	40 x 5	m12
175	193	263	303	40 x 5	m12
200	220	290	330	40 x 5	m12
225	244	324	374	50 x 6	m16
250	274	354	404	50 x 6	m16
300	324	404	454	50 x 6	m16
350	356	456	516	60 x 8	m20
400	406	506	566	60 x 8	m20
450	457	557	617	60 x 8	m20
500	508	628	688	60 x 10	m20
550	559	689	759	70 x 12	m24
600	610	740	810	70 x 12	m24

Standard Finish Self Colour or Zinc Plated
Zinc Plated Shown

Alternative Range

Nominal Pipe Size		B	Overall	Material	Bolt Size
Metric	O/D				
15	22	92	132	40 x 5	m12
20	27	97	137	40 x 5	m12
25	34	104	144	40 x 5	m12
32	42	112	152	40 x 5	m12
40	48	118	158	40 x 5	m12
50	60	130	170	40 x 5	m12
65	76	146	186	40 x 5	m12
80	89	159	199	40 x 5	m12
100	114	184	224	40 x 5	m12
125	140	220	270	50 x 6	m16
150	168	248	298	50 x 6	m16
175	193	273	323	50 x 6	m16
200	220	300	350	50 x 6	m16
225	244	344	404	60 x 8	m20
250	274	374	434	60 x 8	m20
300	324	424	484	60 x 8	m20
350	356	476	536	60 x 10	m20
400	406	526	586	60 x 10	m20
450	457	577	637	60 x 10	m20
500	508	638	708	70 x 12	m24
550	559	709	779	70 x 15	m27
600	610	760	830	70 x 15	m27

Standard Finish Self Colour or Zinc Plated
Self Colour Finish Shown



Standard Range


Nominal Pipe Size		B	Overall	Material	Bolt Size
Metric	O/D				
15	22	59	84	25 x 3	m6
20	27	65	90	25 x 3	m6
25	34	72	97	25 x 3	m6
32	42	95	125	30 x 3	m10
40	48	95	125	30 x 3	m10
50	60	110	140	30 x 3	m10
65	76	126	156	30 x 3	m10
80	89	139	169	30 x 3	m10
100	114	174	204	30 x 3	m10
125	140	210	250	40 x 5	m12
150	168	238	278	40 x 5	m12
175	193	263	303	40 x 5	m12
200	220	290	330	40 x 5	m12
225	244	324	374	50 x 6	m16
250	274	354	404	50 x 6	m16
300	324	404	454	50 x 6	m16
350	356	456	516	60 x 8	m20
400	406	506	566	60 x 8	m20
450	457	557	617	60 x 8	m20
500	508	628	688	60 x 10	m20
550	559	689	759	70 x 12	m24
600	610	740	810	70 x 12	m24

Galvanised Finish To BS EN ISO 1461

Alternative Range

Nominal Pipe Size		B	Overall	Material	Bolt Size
Metric	O/D				
15	22	92	132	40 x 5	m12
20	27	97	137	40 x 5	m12
25	34	104	144	40 x 5	m12
32	42	112	152	40 x 5	m12
40	48	118	158	40 x 5	m12
50	60	130	170	40 x 5	m12
65	76	146	186	40 x 5	m12
80	89	159	199	40 x 5	m12
100	114	184	224	40 x 5	m12
125	140	220	270	50 x 6	m16
150	168	248	298	50 x 6	m16
175	193	273	323	50 x 6	m16
200	220	300	350	50 x 6	m16
225	244	344	404	60 x 8	m20
250	274	374	434	60 x 8	m20
300	324	424	484	60 x 8	m20
350	356	476	536	60 x 10	m20
400	406	526	586	60 x 10	m20
450	457	577	637	60 x 10	m20
500	508	638	708	70 x 12	m24
550	559	709	779	70 x 15	m27
600	610	760	830	70 x 15	m27

Galvanised Finish To BS EN ISO 1461




Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
48	48	95	125	30 x 3	m10
54	54	104	134	30 x 3	m10
60	60	110	140	30 x 3	m10
65	65	116	146	30 x 3	m10
70	70	120	150	30 x 3	m10
76	76	126	156	30 x 3	m10
83	83	133	163	30 x 3	m10
89	89	139	169	30 x 3	m10
95	95	145	175	30 x 3	m10
102	102	152	182	30 x 3	m10
108	108	158	188	30 x 3	m10
114	114	174	204	30 x 3	m10
121	121	181	211	30 x 3	m10
127	127	187	217	30 x 3	m10
133	133	193	223	30 x 3	m10
140	140	200	230	30 x 3	m10
146	146	206	236	30 x 3	m10
152	152	212	242	30 x 3	m10
159	159	219	249	30 x 3	m10
168	168	228	258	30 x 3	m10
173	173	233	263	30 x 3	m10
178	178	244	274	30 x 3	m10
186	186	252	282	30 x 3	m10
193	193	263	303	40 x 3	m12
199	199	269	309	40 x 3	m12
208	208	278	318	40 x 3	m12
220	220	290	330	40 x 5	m12
225	225	295	335	40 x 5	m12
232	232	302	342	40 x 5	m12

Standard Finish Self Colour or Zinc Plated

Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
244	244	314	354	40 x 5	m12
252	252	322	362	40 x 5	m12
259	259	328	368	40 x 5	m12
264	264	337	377	40 x 5	m12
273	273	342	382	40 x 5	m12
283	283	352	392	40 x 5	m12
290	290	359	399	40 x 5	m12
299	299	368	408	40 x 5	m12
308	308	377	417	40 x 5	m12
316	316	385	425	40 x 5	m12
324	324	393	433	40 x 5	m12
332	332	412	462	50 x 6	m16
344	344	424	474	50 x 6	m16
356	356	436	486	50 x 6	m16
363	363	443	493	50 x 6	m16
373	373	453	503	50 x 6	m16
384	384	464	514	50 x 6	m16
394	394	474	524	50 x 6	m16
406	406	486	536	50 x 6	m16
416	416	496	546	50 x 6	m16
423	423	503	553	50 x 6	m16
433	433	513	563	50 x 6	m16
444	444	524	574	50 x 6	m16
456	456	536	586	50 x 6	m16
467	467	547	597	50 x 6	m16
477	477	557	607	50 x 6	m16
487	487	567	617	50 x 6	m16
497	497	577	627	50 x 6	m16
507	507	587	637	50 x 6	m16

Standard Finish Self Colour or Zinc Plated




Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
48	48	95	125	30 x 3	m10
54	54	104	134	30 x 3	m10
60	60	110	140	30 x 3	m10
65	65	116	146	30 x 3	m10
70	70	120	150	30 x 3	m10
76	76	126	156	30 x 3	m10
83	83	139	169	30 x 3	m10
89	89	139	169	30 x 3	m10
95	95	152	182	30 x 3	m10
102	102	152	182	30 x 3	m10
108	108	174	204	30 x 3	m10
114	114	174	204	30 x 3	m10
121	121	187	217	30 x 3	m10
127	127	187	217	30 x 3	m10
133	133	199	229	30 x 3	m10
140	140	199	229	30 x 3	m10
146	146	212	242	30 x 3	m10
152	152	212	242	30 x 3	m10
159	159	219	249	30 x 3	m10
168	168	233	263	30 x 3	m10
173	173	233	263	30 x 3	m10
178	178	248	278	30 x 3	m10
186	186	248	288	30 x 3	m10
193	193	269	309	40 x 3	m12
199	199	269	309	40 x 3	m12
208	208	278	318	40 x 3	m12
220	220	289	329	40 x 5	m12
225	225	302	342	40 x 5	m12
232	232	302	342	40 x 5	m12

Galvanised Finish To BS EN ISO 1461

Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
244	244	322	362	40 x 5	m12
252	252	322	362	40 x 5	m12
259	259	337	377	40 x 5	m12
264	264	337	377	40 x 5	m12
273	273	342	382	40 x 5	m12
283	283	359	399	40 x 5	m12
290	290	359	399	40 x 5	m12
299	299	377	417	40 x 5	m12
308	308	377	417	40 x 5	m12
316	316	392	432	40 x 5	m12
323	323	392	432	40 x 5	m12
332	332	424	474	50 x 6	m16
344	344	424	474	50 x 6	m16
356	356	436	486	50 x 6	m16
363	363	453	503	50 x 6	m16
373	373	453	503	50 x 6	m16
384	384	474	524	50 x 6	m16
394	394	474	524	50 x 6	m16
406	406	486	536	50 x 6	m16
416	416	503	553	50 x 6	m16
423	423	503	553	50 x 6	m16
433	433	524	574	50 x 6	m16
444	444	524	574	50 x 6	m16
456	456	536	586	50 x 6	m16
467	467	557	607	50 x 6	m16
477	477	557	607	50 x 6	m16
487	487	577	627	50 x 6	m16
497	497	577	627	50 x 6	m16
507	507	587	637	50 x 6	m16

Galvanised Finish To BS EN ISO 1461



To Suit 350mm nb - 450mm nb Plus Insulation

Size		B	Overall	Material	Hole Dia
Clip i/d	Block o/d				
356	356	456	516	60 x 8	23
366	366	466	526	60 x 8	23
376	376	476	536	60 x 8	23
386	386	486	546	60 x 8	23
396	396	496	556	60 x 8	23
406	406	506	566	60 x 8	23
416	416	516	576	60 x 8	23
426	426	526	586	60 x 8	23
436	436	536	596	60 x 8	23
446	446	546	606	60 x 8	23
457	457	557	617	60 x 8	23
467	467	567	627	60 x 8	23
477	477	577	637	60 x 8	23
487	487	587	647	60 x 8	23
497	497	597	657	60 x 8	23
508	508	608	668	60 x 8	23
518	518	618	678	60 x 8	23
528	528	628	688	60 x 8	23
538	538	638	698	60 x 8	23
548	548	648	708	60 x 8	23
559	559	659	719	60 x 8	23
570	570	670	730	60 x 8	23
580	580	680	740	60 x 8	23
590	590	690	750	60 x 8	23
600	600	700	760	60 x 8	23
610	610	710	770	60 x 8	23

Standard Finish Self Colour or Zinc Plated


Also Available Galvanised Finish To BS EN ISO 1461

To Suit 500mm nb - 600mm nb Plus Insulation

Size		B	Overall	Material	Hole Dia
Clip i/d	Block o/d				
518	518	638	698	60 x 10	23
528	528	648	708	60 x 10	23
538	538	658	718	60 x 10	23
548	548	668	728	60 x 10	23
559	559	679	739	60 x 10	23
570	570	690	750	60 x 10	23
580	580	700	760	60 x 10	23
590	590	710	770	60 x 10	23
600	600	720	780	60 x 10	23
610	610	730	790	60 x 10	23
620	620	740	800	60 x 10	23
630	630	750	810	60 x 10	23
640	640	770	850	70 x 12	27
650	650	780	860	70 x 12	27
660	660	790	870	70 x 12	27
670	670	800	880	70 x 12	27
680	680	810	890	70 x 12	27
690	690	820	900	70 x 12	27
700	700	830	910	70 x 12	27
710	710	840	920	70 x 12	27
720	720	850	930	70 x 12	27
730	730	860	940	70 x 12	27
740	740	870	950	70 x 12	27
750	750	880	960	70 x 12	27
760	760	890	970	70 x 12	27
770	770	900	980	70 x 12	27

Standard Finish Self Colour or Zinc Plated


Also Available Galvanised Finish To BS EN ISO 1461



Nominal Pipe Size		B	Overall	Material	Bolt Size
NB	O/D				
25	34	95	125	30 x 3	m10
32	42	95	125	30 x 3	m10
40	48	110	140	30 x 3	m10
50	60	116	146	30 x 3	m10
65	76	133	163	30 x 3	m10
80	89	145	175	30 x 3	m10
100	114	181	211	30 x 3	m10
125	140	206	236	30 x 3	m10
150	168	233	263	30 x 3	m10
175	193	269	309	40 x 3	m12
200	219	295	335	40 x 5	m12
225	244	322	362	40 x 5	m12
250	273	352	392	40 x 5	m12
300	324	416	466	50 x 6	m16
350	356	466	526	60 x 8	m20
400	406	516	576	60 x 8	m20
450	457	567	627	60 x 8	m20
500	508	628	698	70 x 10	m20
Pipe Size / Insulation		B	Overall	Material	Bolt Size
NB	O/D				
40	48	104	134	30 x 3	m10
	54	110	140	30 x 3	m10
50	60	116	146	30 x 3	m10
	65	120	150	30 x 3	m10
	70	126	156	30 x 3	m10
65	76	133	163	30 x 3	m10
	83	139	169	30 x 3	m10
80	89	145	175	30 x 3	m10
	95	152	182	30 x 3	m10
	102	158	188	30 x 3	m10
	108	174	204	30 x 3	m10
100	114	181	211	30 x 3	m10
	121	187	217	30 x 3	m10
	127	193	223	30 x 3	m10
	133	199	229	30 x 3	m10
125	140	207	237	30 x 3	m10
	146	212	242	30 x 3	m10
	152	219	249	30 x 3	m10
	159	228	258	30 x 3	m10
150	168	233	263	30 x 3	m10
	173	248	278	30 x 3	m10
	178	256	296	40 x 3	m12
	186	263	303	40 x 3	m12
175	193	269	309	40 x 3	m12
	199	278	318	40 x 3	m12
	208	284	324	40 x 3	m12
200	220	296	336	40 x 5	m12
	225	302	342	40 x 5	m12

Pipe Size / Insulation		B	Overall	Material	Bolt Size
NB	O/D				
	232	308	348	40 x 5	m12
225	244	322	362	40 x 5	m12
	252	328	368	40 x 5	m12
	259	337	377	40 x 5	m12
	264	342	382	40 x 5	m12
250	273	352	392	40 x 5	m12
	283	359	399	40 x 5	m12
	290	368	408	40 x 5	m12
	299	377	417	40 x 5	m12
	308	385	425	40 x 5	m12
	316	392	432	40 x 5	m12
	324	399	439	40 x 5	m12
	332	424	474	50 x 6	m16
	344	436	486	50 x 6	m16
	356	443	493	50 x 6	m16
	363	453	503	50 x 6	m16
	373	464	514	50 x 6	m16
	384	474	524	50 x 6	m16
	394	486	536	50 x 6	m16
	406	496	546	50 x 6	m16
	416	503	553	50 x 6	m16
	423	513	563	50 x 6	m16
	433	524	574	50 x 6	m16
	444	536	586	50 x 6	m16
	456	547	597	50 x 6	m16
	467	557	607	50 x 6	m16
	477	567	617	50 x 6	m16
	487	577	627	50 x 6	m16
	497	587	637	50 x 6	m16
	507	593	643	50 x 6	m16
Pipe Size / Insulation		B	Overall	Material	Bolt Size
NB	O/D				
350	356	466	526	60 x 8	m20
	366	476	536	60 x 8	m20
	376	486	546	60 x 8	m20
	386	496	556	60 x 8	m20
	396	506	566	60 x 8	m20
400	406	516	576	60 x 8	m20
	416	526	586	60 x 8	m20
	426	536	596	60 x 8	m20
	436	546	606	60 x 8	m20
	446	557	617	60 x 8	m20
450	457	567	627	60 x 8	m20
	467	577	637	60 x 8	m20
	477	587	647	60 x 8	m20
	487	597	657	60 x 8	m20
	497	608	668	60 x 8	m20
500	508	638	688	60 x 10	m20

Standard Finish Zinc Plated
 Temperature Range: -10 °C to +65 °C




Pipe Size		Material	B	Overall	Bolt Size
Metric	ISO				
18		30 x 3	64	94	m10
	22	30 x 3	70	100	m10
28	27	30 x 3	76	106	m10
35	34	30 x 3	83	113	m10
42		30 x 3	90	120	m10
	48	30 x 3	95	125	m10
54		30 x 3	104	134	m10
	60	30 x 3	110	140	m10
69		30 x 3	120	150	m10
	76	30 x 3	126	156	m10
84		30 x 3	133	163	m10
	89	30 x 3	139	169	m10
104		30 x 3	154	184	m10
	114	30 x 3	174	204	m10
129		40 x 3	189	229	m12
	140	40 x 3	200	240	m12
154		40 x 3	214	254	m12
	168	40 x 3	228	268	m12
204		40 x 5	274	314	m12
	220	40 x 5	290	330	m12
254		40 x 5	324	364	m12
	273	40 x 5	342	382	m12
304		40 x 5	373	413	m12
	324	40 x 5	393	433	m12
356	356	60 x 8	456	516	m20
406	406	60 x 8	507	567	m20
456	457	60 x 8	557	617	m20
506	508	60 x 8	608	668	m20
606	610	60 x 8	710	770	m20
708	712	60 x 8	712	772	m20
810	815	60 x 8	815	875	m20

Manufactured In 304 & 316 Stainless Steel

Clips Will Be Square End Finish

Can Be Supplied With Glued Rubber Insert Temperature Range: -10 °C to +65 °C



Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
48	48	95	125	30 x 3	m10
54	54	104	134	30 x 3	m10
60	60	110	140	30 x 3	m10
65	65	116	146	30 x 3	m10
70	70	120	150	30 x 3	m10
76	76	126	156	30 x 3	m10
83	83	133	163	30 x 3	m10
89	89	139	169	30 x 3	m10
95	95	145	175	30 x 3	m10
102	102	152	182	30 x 3	m10
108	108	158	188	30 x 3	m10
114	114	174	204	30 x 3	m10
121	121	181	211	30 x 3	m10
127	127	187	217	30 x 3	m10
133	133	193	223	30 x 3	m10
140	140	200	230	30 x 3	m10
146	146	206	236	30 x 3	m10
152	152	212	242	30 x 3	m10
159	159	219	249	30 x 3	m10
168	168	228	258	30 x 3	m10
173	173	233	263	30 x 3	m10
178	178	244	274	30 x 3	m10
186	186	252	282	30 x 3	m10
193	193	263	303	40 x 3	m12
199	199	269	309	40 x 3	m12
208	208	278	318	40 x 3	m12
220	220	290	330	40 x 5	m12
225	225	295	335	40 x 5	m12
232	232	302	342	40 x 5	m12

Size		B	Overall	Material	Bolt Size
Clip i/d	Block o/d				
244	244	314	354	40 x 5	m12
252	252	322	362	40 x 5	m12
259	259	328	368	40 x 5	m12
264	264	337	377	40 x 5	m12
273	273	342	382	40 x 5	m12
283	283	352	392	40 x 5	m12
290	290	359	399	40 x 5	m12
299	299	368	408	40 x 5	m12
308	308	377	417	40 x 5	m12
316	316	385	425	40 x 5	m12
324	324	393	433	40 x 5	m12
332	332	412	462	50 x 6	m16
344	344	424	474	50 x 6	m16
356	356	436	486	50 x 6	m16
363	363	443	493	50 x 6	m16
373	373	453	503	50 x 6	m16
384	384	464	514	50 x 6	m16
394	394	474	524	50 x 6	m16
406	406	486	536	50 x 6	m16
416	416	496	546	50 x 6	m16
423	423	503	553	50 x 6	m16
433	433	513	563	50 x 6	m16
444	444	524	574	50 x 6	m16
456	456	536	586	50 x 6	m16
467	467	547	597	50 x 6	m16
477	477	557	607	50 x 6	m16
487	487	567	617	50 x 6	m16
497	497	577	627	50 x 6	m16
507	507	587	637	50 x 6	m16

Manufactured In 316 Stainless Steel

Clips Will Be Square End Finish

Clips Suitable For Maximum 300mm nb Pipework